American Journal of Physiology: Heart and Circulatory Physiology

No. 1. JULY 1999

ANG II- and TxA_2-induced mesenteric vasoconstriction in rats is mediated by separate cell signaling pathways
J. Bauer, C. Dau, A. Cavarape, F. Schaefer, H. Ehmke, and N. Parekh H1

Role of nitric oxide in regulation of renal sympathetic nerve activity during hemorrhage in conscious rats
Y. Fujisawa, N. Mori, K. Yube, H. Miyanaka, A. Miyatake, and Y. Abe H8

Chronic central infusion of ANG II potentiates cardiac sympathetic afferent reflex in dogs
R. Ma, H. D. Schultz, and W. Wang H15

Contraction-relaxation coupling: determination of the onset of diastole
S. B. Solomon, S. D. Nikolic, R. W. M. Frater, and E. L. Yellin H23

Two distinct HCO_3^--dependent H^+ efflux pathways in human vascular endothelial cells
B. Sun, R. D. Vaughan-Jones, and J.-I. Kambayashi H28

α-Adrenergic vasoconstriction in active skeletal muscles during dynamic exercise
J. B. Buckwalter and P. S. Clifford H33

Changes in sarcolemmal PLC isoenzymes in postinfarct congestive heart failure: partial correction by imidapril
P. S. Tappia, S.-Y. Liu, S. Shatadal, N. Takeda, N. S. Dhalla, and V. Panagia H40

Oxygen delivery does not limit cardiac performance during high work states
J. Zhang, Y. Murakami, Y. Zhang, Y. K. Cho, Y. Ye, G. Gong, R. J. Bache, K. Uğurbil, and A. H. L. From H50

Cotransmission from sympathetic vasoconstrictor neurons to small cutaneous arteries in vivo
J. L. Morris H58

O_2 cost of contractility but not of mechanical energy increases with temperature in canine left ventricle
T. Mikane, J. Araki, S. Suzuki, J. Mizuno, J. Shimizu, S. Mohri, H. Matsubara, M. Hirakawa, T. Ohe, and H. Suga H65

Energy expenditure by Ba^{2+} contracture in rat ventricular slices derives from cross-bridge cycling
H. Kohzuki, H. Misawa, S. Sakata, Y. Ohga, H. Suga, and M. Takaki H74

Cellular basis of ventricular arrhythmias and abnormal automaticity in heart failure
H. B. Nuss, S. Kääb, D. A. Kass, G. F. Tomaselli, and E. Marbán H80

Detection of a ferrylhemoglobin intermediate in an endothelial cell model after hypoxia-reoxygenation
L. L. McLeod and A. I. Alayash H92

Alteration of microtubule polymerization modulates arteriolar vasomotor tone
S. H. Platts, J. C. Falcone, W. T. Holton, M. A. Hill, and G. A. Meininger H100

Four different components contribute to outward current in rat ventricular myocytes
H. M. Himmel, E. Wettwer, Q. Li, and U. Ravens H107

Voltage-dependent K^+ current in capillary endothelial cells isolated from guinea pig heart
M. Dittrich and J. Daut H119

Delayed preconditioning with adenosine is mediated by opening of ATP-sensitive K^+ channels in rabbit heart
N. L. Bernardo, S. Okubo, M. M. Maaieh, M. A. Wood, and R. C. Kukreja H128

Catecholamines and preconditioning: studies of contraction and function in isolated rat hearts
D. J. Hearse and F. J. Sutherland H136

Myogenic reactivity of rat epineurial arterioles: potential role in local vasoregulatory events
H. X. Wang, M. J. Davis, M. A. S. Rajanayagam, S. J. Potocnik, and M. A. Hill H144

Concentration-dependent effects of bradykinin on leukocyte recruitment and venular hemodynamics in rat mesentery
S. Shigematsu, S. Ishida, D. C. Gute, and R. J. Korthuis H152

Bradykinin prevents postischemic leukocyte adhesion and emigration and attenuates microvascular barrier disruption
S. Shigematsu, S. Ishida, D. C. Gute, and R. J. Korthuis H161

A CD18 monoclonal antibody reduces multiple organ injury in a model of ruptured abdominal aortic aneurysm
A. J. Boyd, B. B. Rubin, P. M. Walker, A. Romaschin, T. B. Issekutz, and T. F. Lindsay H172

Transmural microcirculatory blood flow distribution in right and left ventricular free walls of rabbits
T. Matsumoto, J. Ebata, H. Tachibana, M. Goto, and F. Kajiya H183

Role of PTP-1B in aortic smooth muscle cell motility and tyrosine phosphorylation of focal adhesion proteins
A. Hassid, S. Huang, and J. Yao H192

Pathways of HERG inactivation
J. Kiehn, A. E. Lacerda, and A. M. Brown H199

Electrophysiological mechanisms by which hypothyroidism delays repolarization in guinea pig hearts
R. F. Bosch, Z. Wang, G.-R. Li, and S. Nattel H211

Effect of exogenous nitric oxide on baroreflex function in humans
N. Hogan, A. Kardos, D. J. Paterson, and B. Casadei H221

Adenosine A_3-receptor stimulation attenuates postischemic dysfunction through K_{ATP} channels
V. H. Thourani, M. Nakamura, R. S. Ronson, J. E. Jordan, Z.-Q. Zhao, J. H. Levy, F. Szlam, R. A. Guyton, and J. Vinten-Johansen H228

Transmural metabolic heterogeneity at high cardiac work states
G. Gong, K. Uğurbil, and J. Zhang H236

Ultrastructural assessment of myocardial necrosis occurring during ischemia and 3-h reperfusion in the dog
L. C. Becker, R. W. Jeremy, J. Schaper, and W. Schaper H243

Activated macrophages decrease rat cardiac myocyte contractility: importance of ICAM-1-dependent adhesion
M. G. Simms and K. R. Walley H253

Even slight movements disturb analysis of cardiovascular dynamics
J.-O. Fortrat, C. Formet, J. Frutoso, and C. Gharib H261

Reduced coronary NO production in conscious dogs after the development of alloxan-induced diabetes
G. Zhao, X. Zhang, C. J. Smith, X. Xu, M. Ochoa, D. Greenhouse, T. Vogel, C. Curran, and T. H. Hintze H268

pH regulation of K^+ efflux from myocytes in isolated rat hearts: ^{87}Rb, ^{7}Li, and ^{31}P NMR studies
V. V. Kupriyanov, B. Xiang, B. Kuzio, and R. Deslauriers H279

Effects of $F_{I_{O_2}}$ on hemodynamic responses and O_2 transport during RSR13-induced reduction in P_{50}
O. Eichelbrönner, A. Sielenkämper, M. d'Almeida, C. G. Ellis, W. J. Sibbald, and I. H. Chin-Yee H290

NO and prostanoids: age dependence of hypercapnia- and histamine-induced dilations of pig pial arterioles
A. P. Willis and C. W. Leffler H299

Cardiac performance and creatine kinase flux during inhibition of ATP synthesis in the perfused rat heart
P. Mateo, V. Stepanov, B. Gillet, J.-C. Beloeil, and J. A. Hoerter H308

Impairment of EDR by a long-term PDGF treatment in organ-cultured rabbit mesenteric artery
H. Yamawaki, K. Sato, M. Hori, H. Ozaki, S.-I. Nakamura, H. Nakayama, K. Doi, and H. Karaki H318

Cardiac expression of the Na^+/Ca^{2+} exchanger NCX1 is GATA factor dependent
S. B. Nicholas and K. D. Philipson H324

Cell density and contraction regulate p38 MAP kinase-dependent responses in neonatal rat cardiac myocytes
W. A. Hines, J. Thorburn, and A. Thorburn H331

ANG II and baroreflex function in rabbits with CHF and lesions of the area postrema
J.-L. Liu, H. Murakami, M. Sanderford, V. S. Bishop, and I. H. Zucker H342

Nonuniform responses of transmembrane potential during electric field stimulation of single cardiac cells
D. K.-L. Cheng, L. Tung, and E. A. Sobie H351

Enhanced ET_A-receptor-mediated inhibition of K_v channels in hypoxic hypertensive rat pulmonary artery myocytes
K.-X. Li, B. Fouty, I. F. McMurtry, and D. M. Rodman H363

Endothelial nitric oxide synthase gene transfer enhances dilation of newborn piglet pulmonary arteries
J. L. Aschner, N. Kovacs, J. V. Perciaccante, J. P. Figueroa, N. Thrikawala, G. S. Robins, and D. W. Busija H371

Factors contributing to pressure overload-induced immediate early gene expression in adult rat hearts in vivo
K. Ogino, B. Cai, A. Gu, T. Kohmoto, N. Yamamoto, and D. Burkhoff H380

A novel heart failure model induced by sequential coronary artery occlusions and tachycardiac stress in awake pigs
Y.-T. Shen, J. J. Lynch, R. P. Shannon, and R. T. Wiedmann H388

Insulin-induced endothelin release and vasoreactivity in hypertriglyceridemic and hypertensive rats
P. Nava, V. Guarner, R. Posadas, I. Pérez, and G. Baños H399

Potentiation of stretch-induced atrial natriuretic peptide secretion by intracellular acidosis
P. Tavi, M. Laine, S. Voutilainen, P. Lehenkari, O. Vuolteenaho, H. Ruskoaho, and M. Weckström H405

SPECIAL COMMUNICATION

Separation of cardiomyocytes and coronary endothelial cells for cell-specific RT-PCR
R. Preisig-Müller, M. Mederos y Schnitzler, C. Derst, and J. Daut H413

SPECIAL MEDICAL EDITORIAL

Resting myocardial flow in hibernating myocardium: validating animal models of human pathophysiology
J. M. Canty, Jr., and J. A. Fallavollita H417

No. 2. AUGUST 1999

SPECIAL MEDICAL EDITORIAL

Is antisense gene therapy a step in the right direction in the control of hypertension?
M. K. Raizada, M. J. Katovich, H. Wang, K. H. Berecek, and C. H. Gelband H423

Cardiac muscle tissue engineering: toward an in vitro model for electrophysiological studies
N. Bursac, M. Papadaki, R. J. Cohen, F. J. Schoen, S. R. Eisenberg, R. Carrier, G. Vunjak-Novakovic, and L. E. Freed H433

Expression of FAS adjacent to fibrotic foci in the failing human heart is not associated with increased apoptosis
G. Filippatos, C. Leche, R. Sunga, A. Tsoukas, P. Anthopoulos, I. Joshi, A. Bifero, R. Pick, and B. D. Uhal H445

Ventricular response in atrial fibrillation: random or deterministic?
K. M. Stein, J. Walden, N. Lippman, and B. B. Lerman H452

Effects of endothelin on spontaneous contractions in lymph vessels
H. Sakai, F. Ikomi, and T. Ohhashi H459

Differential effects of ovariectomy on calcium activation of cardiac and soleus myofilaments
J. Wattanapermpool and P. J. Reiser H467

Human heart failure: cAMP stimulation of SR Ca^{2+}-ATPase activity and phosphorylation level of phospholamban
U. Schmidt, R. J. Hajjar, C. S. Kim, D. Lebeche, A. A. Doye, and J. K. Gwathmey H474

Late systolic pressure augmentation: role of left ventricular outflow patterns
M. Karamanoglu and M. P. Feneley H481

Activation of contraction in cat ventricular myocytes: effects of low Cd^{2+} concentration and temperature
J. A. Wasserstrom and A.-M. Vites H488

Interaction of angiotensin II and the insulin-like growth factor system in vascular smooth muscle cells
T. Gustafsson, P. Andersson, Y. Chen, J. O. Magnusson, and H. J. Arnqvist H499

Permeation of the luminal capillary glycocalyx is determined by hyaluronan
C. B. S. Henry and B. R. Duling H508

Failure of cdc2 promoter activation and G_2/M transition by ANG II and AVP in vascular smooth muscle cells
N. Fujita, Y. Furukawa, N. Itabashi, Y. Tsuboi, M. Matsuda, K. Okada, and T. Saito H515

Contribution of endogenous endothelin to large epicardial coronary artery tone in dogs and humans
É. Thorin, R. Parent, Z. Ming, and M. Lavallée H524

Microembolization in pigs: effects on coronary blood flow and myocardial ischemic tolerance
F. Grund, H. T. Sommerschild, T. Lyberg, K. A. Kirkebøen, and A. Ilebekk H533

Myocardial tumor necrosis factor-α secretion in hypertensive and heart failure-prone rats
M. R. Bergman, R. H. Kao, S. A. McCune, and B. J. Holycross H543

Fourier analysis of fluctuations of oxygen tension and blood flow in R3230Ac tumors and muscle in rats
R. D. Braun, J. L. Lanzen, and M. W. Dewhirst H551

Effect of early transient adherent leukocytes on venular permeability and endothelial actin cytoskeleton
J. E. Valeski and A. L. Baldwin H569

Supine exercise restores arterial blood pressure and skin blood flow despite dehydration and hyperthermia
J. González-Alonso, R. Mora-Rodríguez, and E. F. Coyle H576

Alterations in sarcoplasmic reticulum function and gene expression in ischemic-reperfused rat heart
R. M. Temsah, T. Netticadan, D. Chapman, S. Takeda, S. Mochizuki, and N. S. Dhalla H584

Adenosine upregulates VEGF expression in cultured myocardial vascular smooth muscle cells
J.-W. Gu, A. L. Brady, V. Anand, M. C. Moore, W. C. Kelly, and T. H. Adair H595

Excitation-contraction coupling in rat ventricular myocytes after formamide-induced detubulation
M. Kawai, M. Hussain, and C. H. Orchard H603

Blockade of AT_1 receptors and Na^+/H^+ exchanger and LV dysfunction after myocardial infarction in rats
M. Ruzicka, B. Yuan, and F. H. H. Leenen H610

Role of K^+_{ATP} channels and adenosine in regulation of coronary blood flow in the hypertrophied left ventricle
P. J. Melchert, D. J. Duncker, J. H. Traverse, and R. J. Bache H617

Cytosolic redox state mediates postischemic response to pyruvate dehydrogenase stimulation
L. T. White, J. M. O'Donnell, J. Griffin, and E. D. Lewandowski H626

Ischemic muscle chemoreflex response elevates blood flow in nonischemic exercising human forearm muscle
M. E. Tschakovsky and R. L. Hughson H635

Translocation of myocardial GLUT-4 and increased glucose uptake through activation of AMPK by AICAR
R. R. Russell III, R. Bergeron, G. I. Shulman, and L. H. Young H643

Modified hemoglobins produce venular interendothelial gaps and albumin leakage in the rat mesentery
A. L. Baldwin H650

Myocardial infarction and remodeling in mice: effect of reperfusion
L. H. Michael, C. M. Ballantyne, J. P. Zachariah, K. E. Gould, J. S. Pocius, G. E. Taffet, C. J. Hartley, T. T. Pham, S. L. Daniel, E. Funk, and M. L. Entman H660

Reperfusion-induced changes in capillary perfusion and filtration: effects of hypercholesterolemia
N. R. Harris H669

Inhaled NO impacts vascular but not extravascular compartments in postischemic peripheral organs
P. Kubes, D. Payne, M. B. Grisham, D. Jourd-heuil, and A. Fox-Robichaud H676

Myocardial oxygenation in vivo: optical spectroscopy of cytoplasmic myoglobin and mitochondrial cytochromes
A. E. Arai, C. E. Kasserra, P. R. Territo, A. H. Gandjbakhche, and R. S. Balaban H683

Visible-light photon migration through myocardium in vivo
A. H. Gandjbakhche, R. F. Bonner, A. E. Arai, and R. S. Balaban H698

Opioid modulation of calcium current in cultured sensory neurons: μ-modulation of baroreceptor input
M. Hamra, R. S. McNeil, M. Runciman, and D. L. Kunze H705

Sodium/calcium exchange contributes to contraction and relaxation in failed human ventricular myocytes
J. P. Gaughan, S. Furukawa, V. Jeevanandam, C. A. Hefner, H. Kubo, K. B. Margulies, B. S. McGowan, J. A. Mattiello, K. Dipla, V. Piacentino III, S. Li, and S. R. Houser H714

Pulmonary arterial compliance in dogs and pigs: the three-element windkessel model revisited
P. Segers, S. Brimioulle, N. Stergiopulos, N. Westerhof, R. Naeije, M. Maggiorini, and P. Verdonck H725

Salt-induced hypertension in Dahl salt-resistant and salt-sensitive rats with NOS II inhibition
M. A. Rudd, M. Trolliet, S. Hope, A. Ward Scribner, G. Daumerie, G. Toolan, T. Cloutier, and J. Loscalzo H732

Endothelial cell regrowth and morphology after balloon catheter injury of alloxan-induced diabetic rabbits
N. K. Schiller, A. M. Timothy, I.-L. Chen, J. C. Rice, D. L. Akers, P. J. Kadowitz, and D. B. McNamara H740

Sarcoplasmic reticulum and endothelium independently regulate venous smooth muscle $[Ca^{2+}]_i$ and contraction
R. Laporte and I. Laher H749

Effects of long-term, high-altitude hypoxia on the capillarity of the ovine fetal heart
A. M. Lewis, O. Mathieu-Costello, P. J. McMillan, and R. D. Gilbert H756

Reperfusion injury is not affected by blockade of P-selectin in the diabetic mouse heart
S. P. Jones, W. G. Girod, D. N. Granger, A. J. Palazzo, and D. J. Lefer H763

Gene transfer of endothelial nitric oxide synthase (eNOS) in eNOS-deficient mice
K. D. Lake-Bruse, F. M. Faraci, E. G. Shesely, N. Maeda, C. D. Sigmund, and D. D. Heistad H770

Matrix metalloproteinase synthesis and expression in isolated LV myocyte preparations
M. L. Coker, M. A. Doscher, C. V. Thomas, Z. S. Galis, and F. G. Spinale H777

A model of low-flow ischemia and reperfusion in single, beating adult cardiomyocytes
T. G. Maddaford, C. Hurtado, S. Sobrattee, M. P. Czubryt, and G. N. Pierce H788

Nitric oxide: a modulator, but not a mediator, of neurovascular coupling in rat somatosensory cortex
U. Lindauer, D. Megow, H. Matsuda, and U. Dirnagl H799

Cardiac sympathetic afferent sensitivity is enhanced in heart failure
W. Wang, H. D. Schultz, and R. Ma H812

ATP is involved in myocardial and vascular effects of exogenous bradykinin in ejecting guinea pig heart
P. B. Anning, B. D. Prendergast, P. A. MacCarthy, A. M. Shah, D. C. Buss, and M. J. Lewis H818

Effects of estrogen on action potential and membrane currents in guinea pig ventricular myocytes
S. Tanabe, T. Hata, and M. Hiraoka H826

ANG II-induced Ca^{2+} increase in smooth muscle cells from SHR is regulated by actin and microtubule networks
E. Samain, H. Bouillier, C. Perret, M. Safar, and G. Dagher H834

Effects of selected endothelium-dependent vasodilators on fetoplacental vasculature: physiological implications
S. Amarnani, B. Sangrat, and G. Chaudhuri H842

Nitric oxide activity in the peripheral vasculature during normotensive and preeclamptic pregnancy
D. O. C. Anumba, S. C. Robson, R. J. Boys, and G. A. Ford H848

No. 3. SEPTEMBER 1999

EDITORIAL

News from the National Heart, Lung, and Blood Institute
C. Lenfant H855

Summation of dynamic transfer characteristics of left and right carotid sinus baroreflexes in rabbits
T. Kawada, T. Sato, T. Shishido, M. Inagaki, T. Tatewaki, Y. Yanagiya, M. Sugimachi, and K. Sunagawa H857

Mitochondrial transporter responsiveness and metabolic flux homeostasis in postischemic hearts
J. M. O'Donnell, L. T. White, and E. D. Lewandowski H866

Increased protein synthesis is necessary for development of late preconditioning against myocardial stunning
A. Rizvi, X.-L. Tang, Y. Qiu, Y.-T. Xuan, H. Takano, A. K. Jadoon, and R. Bolli H874

LPS pretreatment ameliorates peritonitis-induced myocardial inflammation and dysfunction: role of myocytes
R. R. Neviere, G. Cepinskas, W. S. Madorin, N. Hoque, M. Karmazyn, W. J. Sibbald, and P. R. Kvietys H885

Functional heterogeneity of endothelial P2 purinoceptors in the cerebrovascular tree of the rat
J. You, T. D. Johnson, S. P. Marrelli, and R. M. Bryan, Jr. H893

Regional assessment of wall curvature and wall stress in left ventricle with magnetic resonance imaging
P. Balzer, A. Furber, S. Delépine, F. Rouleau, F. Lethimonnier, O. Morel, A. Tadéi, P. Jallet, P. Geslin, and J.-J. Le Jeune H901

Physiological and molecular characterization of the Na^+/Ca^{2+} exchanger in human platelets
M. Kimura, E. M. Jeanclos, R. J. Donnelly, J. Lytton, J. P. Reeves, and A. Aviv H911

Nitroglycerin dilates coronary collateral vessels during exercise after blockade of endogenous NO production
C. L. Klassen, J. H. Traverse, and R. J. Bache H918

Identification of specific EP receptors responsible for the hemodynamic effects of PGE_2
L. P. Audoly, S. L. Tilley, J. Goulet, M. Key, M. Nguyen, J. L. Stock, J. D. McNeish, B. H. Koller, and T. M. Coffman H924

Phosphorylation events associated with cyclic nucleotide-dependent inhibition of smooth muscle contraction
D. A. Woodrum, C. M. Brophy, C. J. Wingard, A. Beall, and H. Rasmussen H931

Neuropeptide Y contributes to innervation-dependent increase in $I_{Ca,L}$ via ventricular Y_2 receptors
L. Protas and R. B. Robinson H940

Lack of age-associated elevations in 24-h systolic and pulse pressures in women who exercise regularly
D. R. Seals, E. T. Stevenson, P. P. Jones, C. A. DeSouza, and H. Tanaka H947

Promotion of copper excretion from the isolated rat heart attenuates postischemic cardiac oxidative injury
S. R. Powell, E. M. Gurzenda, M. A. Wingertzahn, and R. A. Wapnir H956

$[Ca^{2+}]_i$ homeostasis and cyclic nucleotide relaxation in aorta of phospholamban-deficient mice
M. J. Lalli, S. Shimizu, R. L. Sutliff, E. G. Kranias, and R. J. Paul H963

Relation between activation sequence fluctuation and arrhythmogenicity in sodium-channel blockades
T. Watanabe, M. Yamaki, I. Kubota, H. Tachibana, and H. Tomoike H971

Inhibition of guanylate cyclase stimulation by NO and bovine arterial relaxation to peroxynitrite and H_2O_2
T. Iesaki, S. A. Gupte, P. M. Kaminski, and M. S. Wolin H978

Echocardiographic determination of risk area size in a murine model of myocardial ischemia
M. Scherrer-Crosbie, W. Steudel, R. Ullrich, P. R. Hunziker, N. Liel-Cohen, J. Newell, J. Zaroff, W. M. Zapol, and M. H. Picard H986

Modulation of Na^+/H^+ exchange isoform 1 mRNA expression in isolated rat hearts
X. T. Gan, S. Chakrabarti, and M. Karmazyn H993

Chelerythrine increases Na-K-ATPase activity and limits ischemic injury in isolated rat hearts
J. L. Lundmark, R. Ramasamy, P. R. Vulliet, and S. Schaefer H999

PR-39, a proline/arginine-rich antimicrobial peptide, prevents postischemic microvascular dysfunction
R. J. Korthuis, D. C. Gute, F. Blecha, and C. R. Ross H1007

NO alters cell shape and motility in aortic smooth muscle cells via protein tyrosine phosphatase 1B activation
A. Hassid, J. Yao, and S. Huang H1014

Rise in endothelium-derived NO after stimulation of rat perivascular sympathetic mesenteric nerves
M. P. Boric, X. F. Figueroa, M. V. Donoso, A. Paredes, I. Poblete, and J. P. Huidobro-Toro H1027

Pentoxifylline prevents the transition from the hyperdynamic to hypodynamic response during sepsis
S. Yang, M. Zhou, D. J. Koo, I. H. Chaudry, and P. Wang H1036

Cerebral desaturation during exercise reversed by O_2 supplementation
H. B. Nielsen, R. Boushel, P. Madsen, and N. H. Secher H1045

Independent effects of preload, afterload, and contractility on left ventricular torsion
S.-J. Dong, P. S. Hees, W.-M. Huang, S. A. Buffer, Jr., J. L. Weiss, and E. P. Shapiro H1053

Calcium-calmodulin mediates bradykinin-induced MAPK phosphorylation and c-*fos* induction in vascular cells
P. S. Naidu, V. Velarde, C. S. Kappler, R. C. Young, R. K. Mayfield, and A. A. Jaffa H1061

α_2-Adrenoceptor-mediated presynaptic inhibition in bulbospinal neurons of rostral ventrolateral medulla
A. Hayar and P. G. Guyenet H1069

Inactivation gating determines nicotine blockade of human HERG channels
H.-Z. Wang, H. Shi, S.-J. Liao, and Z. Wang H1081

Linear and nonlinear analysis of human dynamic cerebral autoregulation
R. B. Panerai, S. L. Dawson, and J. F. Potter H1089

Vascular smooth muscle cell growth arrest on blockade of thrombospondin-1 requires $p21^{Cip1/WAF1}$
D. Chen, K. Guo, J. Yang, W. A. Frazier, J. M. Isner, and V. Andrés H1100

Peritoneal lymphatic absorption and solute exchange during zymosan-induced peritonitis in the rat
O. Carlsson and B. Rippe H1107

Cycloheximide rapidly inhibits cortical COX activity and COX-dependent pial arteriolar dilation in piglets
F. Domoki, J. V. Perciaccante, R. Veltkamp, G. Robins, F. Bari, T. M. Louis, and D. W. Busija H1113

Minimal model of arterial chaos generated by coupled intracellular and membrane Ca^{2+} oscillators
D. Parthimos, D. H. Edwards, and T. M. Griffith H1119

cAMP-dependent protein kinase is in an active state in rat small arteries possessing a myogenic tone
R. Schubert, G. Lehmann, V. N. Serebryakov, H. Mewes, and H.-H. Hopp H1145

Quantification of murine endothelial cell adhesion molecules in solid tumors
R. R. Langley, J. Russell, M. J. Eppihimer, S. J. Alexander, M. Gerritsen, R. D. Specian, and D. N. Granger H1156

Codistribution of NOS and caveolin throughout peripheral vasculature and skeletal muscle of hamsters
S. S. Segal, S. E. Brett, and W. C. Sessa H1167

Increased Ca^{2+} sensitivity as a key mechanism of PKC-induced constriction in pressurized cerebral arteries
N. I. Gokina, H. J. Knot, M. T. Nelson, and G. Osol H1178

Nitric oxide triggers programmed cell death (apoptosis) of adult rat ventricular myocytes in culture
D. J. Pinsky, W. Aji, M. Szabolcs, E. S. Athan, Y. Liu, Y. M. Yang, R. P. Kline, K. E. Olson, and P. J. Cannon H1189

Relationship between baroreceptor reflex function and end-organ damage in spontaneously hypertensive rats
Z.-Z. Shan, S.-M. Dai, and D.-F. Su H1200

Ischemia-reperfusion rapidly increases COX-2 expression in piglet cerebral arteries
F. Domoki, R. Veltkamp, N. Thrikawala, G. Robins, F. Bari, T. M. Louis, and D. W. Busija H1207

Transport of fluid and solutes in the body. I. Formulation of a mathematical model
C. C. Gyenge, B. D. Bowen, R. K. Reed, and J. L. Bert H1215

Transport of fluid and solutes in the body. II. Model validation and implications
C. C. Gyenge, B. D. Bowen, R. K. Reed, and J. L. Bert H1228

Cardiac endothelial transport and metabolism of adenosine and inosine
L. M. Schwartz, T. R. Bukowski, J. H. Revkin, and J. B. Bassingthwaighte H1241

In vivo location and mechanism of EDHF-mediated vasodilation in canine coronary microcirculation
Y. Nishikawa, D. W. Stepp, and W. M. Chilian H1252

RAPID COMMUNICATION

Reversal of hypertension by angiotensin II type 1 receptor antisense gene therapy in the adult SHR
M. J. Katovich, C. H. Gelband, P. Reaves, H.-W. Wang, and M. K. Raizada H1260

No. 4. OCTOBER 1999

SPECIAL MEDICAL EDITORIAL

Adventitia-dependent influences on vascular function
D. D. Gutterman H1265

Role of load in regulating eIF-4F complex formation in adult feline cardiocytes
W. J. Tuxworth, Jr., H. Wada, Y. Ishibashi, and P. J. McDermott H1273

Mechanism for the effects of extracellular acidification on HERG-channel function
M. Jiang, W. Dun, and G.-N. Tseng H1283

Dietary salt increases endothelial nitric oxide synthase and TGF-β1 in rat aortic endothelium
W.-Z. Ying and P. W. Sanders H1293

Two types of action potential configuration in single cardiac Purkinje cells of sheep
A. O. Verkerk, M. W. Veldkamp, F. Abbate, G. Antoons, L. N. Bouman, J. H. Ravesloot, and A. C. G. van Ginneken H1299

Sympathetic responses to cardiopulmonary vagal afferent stimulation during development
D. C. Merrill, J. L. Segar, O. J. McWeeny, and J. E. Robillard H1311

NO from smooth muscle cells decreases NOS expression in endothelial cells: role of TNF-α
T. de Frutos, L. Sánchez de Miguel, M. García-Durán, F. González-Fernández, J. A. Rodríguez-Feo, M. Montón, J. Guerra, J. Farré, S. Casado, and A. López-Farré H1317

Hypoxia stimulates proliferation and interleukin-1α production in human vascular smooth muscle cells
A. L. Cooper and D. Beasley H1326

Evidence for an interaction between adducin and Na^+-K^+-ATPase: relation to genetic hypertension
M. Ferrandi, S. Salardi, G. Tripodi, P. Barassi, R. Rivera, P. Manunta, R. Goldshleger, P. Ferrari, G. Bianchi, and S. J. D. Karlish H1338

A presynaptic mechanism contributes to depression of autonomic signal transmission in NTS
C.-Y. Chen, J. M. Horowitz, and A. C. Bonham H1350

Cardiac autonomic responses to volume overload in normal subjects and in patients with dilated cardiomyopathy
L. Spinelli, M. Petretta, F. Marciano, G. Testa, M. A. E. Rao, M. Volpe, and D. Bonaduce H1361

EP receptor-mediated inhibition by prostaglandin E_1 of cardiac L-type Ca^{2+} current of rabbits
T. Yamamoto, Y. Habuchi, H. Tanaka, F. Suto, J. Morikawa, K. Kashima, and M. Yoshimura H1369

Dynamic adaptation of cardiac oxidative phosphorylation is not mediated by simple feedback control
J. H. G. M. van Beek, M. H. van Wijhe, M. H. J. Eijgelshoven, and J. B. Hak H1375

Determinants of mechanical properties in the developing ovine thoracic aorta
S. M. Wells, B. L. Langille, J. M. Lee, and S. L. Adamson H1385

α-Adrenergic vasoreactivity of canine intrapulmonary bronchial arteries in pacing-induced heart failure
R. K. McMillon and M. I. Townsley H1392

Molecular and functional distributions of chloride conductances in rabbit ventricle
K. R. Wong, A. E. O. Trezise, S. Bryant, G. Hart, and J. I. Vandenberg H1403

Regulation of respiration in myocardium in the transient and steady state
Y. Chung and T. Jue H1410

Regional alterations in SR Ca^{2+}-ATPase, phospholamban, and HSP-70 expression in chronic hibernating myocardium
J. A. Fallavollita, S. Jacob, R. F. Young, and J. M. Canty, Jr. H1418

β-Blockade improves adjacent regional sympathetic innervation during postinfarction remodeling
C. M. Kramer, P. D. Nicol, W. J. Rogers, P. S. Seibel, C. S. Park, and N. Reichek H1429

Alteration of gene expression for glycolytic enzymes in aerobic and ischemic myocardium
A. J. Liedtke and M. L. Lynch H1435

NO mediates postjunctional inhibitory effect of neurogenic ACh in guinea pig small intestinal microcirculation
N. Kotecha and F. P. Coffa H1441

Enhanced β-receptor-mediated vasorelaxation in hypoxic porcine coronary artery
S. Fukuda, T. Toriumi, H. Xu, H. Kinoshita, H. Nishimaki, S. Kokubun, N. Fujiwara, H. Fujihara, and K. Shimoji H1447

Involvement of ATP-sensitive K^+ channels in spontaneous activity of isolated lymph microvessels in rats
R. Mizuno, N. Ono, and T. Ohhashi H1453

Cerebrovascular reactivity to CO_2 and hypotension after mild cortical impact injury
E. M. Golding, M. L. Steenberg, C. F. Contant, Jr., I. Krishnappa, C. S. Robertson, and R. M. Bryan, Jr. H1457

Ca^{2+}-activated Cl^- current can be triggered by Na^+ current-induced SR Ca^{2+} release in rabbit ventricle
H. Sun, D. Chartier, S. Nattel, and N. Leblanc H1467

Computer-controlled heart rate increase by isoproterenol infusion: mathematical modeling of the system
R. J. Leor-Librach, B.-Z. Bobrovsky, S. Eliash, and E. Kaplinsky H1478

Miconazole represses CO_2-induced pial arteriolar dilation only under selected circumstances
D. A. Pelligrino, R. A. Santizo, and Q. Wang H1484

Origins of heart rate variability: relationship of heart rate burst morphology to work duration and load
D. Roach, R. Haennel, M. L. Koshman, and R. Sheldon H1491

Depolarization-mediated inhibition of Ca^{2+} entry in endothelial cells
X. Wang and C. Van Breemen H1498

Loss of GSH and thiol enzymes in endothelial cells exposed to sublethal concentrations of hypochlorous acid
J. M. Pullar, C. C. Winterbourn, and M. C. M. Vissers H1505

Acute hyperglycemia depresses arteriolar NO formation in skeletal muscle
J. M. Lash, G. P. Nase, and H. G. Bohlen H1513

Endothelin A receptor is necessary for O_2 constriction but not closure of ductus arteriosus
F. Coceani, Y.-A. Liu, E. Seidlitz, L. Kelsey, T. Kuwaki, C. Ackerley, and M. Yanagisawa H1521

Regional ischemia in hypertrophic Langendorff-perfused rat hearts
J. F. Ashruf, C. Ince, and H. A. Bruining H1532

Radiotelemetric characterization of overweight-associated rises in blood pressure and heart rate
H. Rupp and B. Maisch H1540

Role of cytochrome *P*-450 4A in oxygen sensing and NO production in rat cremaster resistance arteries
C. J. M. Kerkhof, E. N. T. P. Bakker, and P. Sipkema H1546

Emotional stress induces immediate-early gene expression in rat heart via activation of α- and β-adrenoceptors
T. Ueyama, K.-I. Yoshida, and E. Senba H1553

Catecholamine handling in the porcine heart: a microdialysis approach
T. W. Lameris, A. H. van den Meiracker, F. Boomsma, G. Alberts, S. de Zeeuw, D. J. Duncker, P. D. Verdouw, and A. J. Man in 't Veld H1562

Growth-related changes in the influence of nitric oxide on arteriolar tone
J. R. Linderman and M. A. Boegehold H1570

Endothelial cell nitric oxide production in acute chest syndrome
S. I. Hammerman, E. S. Klings, K. P. Hendra, G. R. Upchurch, Jr., D. C. Rishikof, J. Loscalzo, and H. W. Farber H1579

Sustained JNK activation induces endothelial apoptosis: studies with colchicine and shear stress
Y.-L. Hu, S. Li, J. Y.-J. Shyy, and S. Chien H1593

Impaired wound healing and angiogenesis in eNOS-deficient mice
P. C. Lee, A. N. Salyapongse, G. A. Bragdon, L. L. Shears II, S. C. Watkins, H. D. J. Edington, and T. R. Billiar H1600

ACE inhibition improves cardiac NE uptake and attenuates sympathetic nerve terminal abnormalities in heart failure
H. Kawai, T.-H. M. Fan, E. Dong, R. A. Siddiqui, A. Yatani, S. Y. Stevens, and C.-S. Liang H1609

Further attenuation of endothelium-dependent relaxation imparted by natriuretic peptide receptor antagonism
P. W. Wennberg, V. M. Miller, T. Rabelink, and J. C. Burnett, Jr. H1618

Potassium channel-mediated vasorelaxation is impaired in experimental renal failure
J. Kalliovalkama, P. Jolma, J.-P. Tolvanen, M. Kähönen, N. Hutri-Kähönen, H. Saha, S. Tuorila, E. Moilanen, and I. Pörsti H1622

SPECIAL COMMUNICATION

A ^{13}C NMR double-labeling method to quantitate local myocardial O_2 consumption using frozen tissue samples
J. H. G. M. van Beek, H. G. J. van Mil, R. B. King, F. J. J. de Kanter, D. J. C. Alders, and J. Bussemaker H1630

RAPID COMMUNICATIONS

TNF-α enhances cardiac myocyte NO production through MAP kinase-mediated NF-κB activation
H. Kan, Z. Xie, and M. S. Finkel H1641

Evidence for peroxynitrite as a signaling molecule in flow-dependent activation of c-Jun NH_2-terminal kinase
Y.-M. Go, R. P. Patel, M. C. Maland, H. Park, J. S. Beckman, V. M. Darley-Usmar, and H. Jo H1647

No. 5. NOVEMBER 1999

SPECIAL MEDICAL EDITORIAL

A critical look at cardiovascular translational research
R. Busse and I. Fleming H1655

Dependence of Ca^{2+} sensitivity of arterial contractions on history of receptor activation
P. H. Ratz H1661

TBAK-1 and TASK-1, two-pore K^+ channel subunits: kinetic properties and expression in rat heart
Y. Kim, H. Bang, and D. Kim H1669

Baroreflex stabilization of the double product
B. N. Van Vliet and J.-P. Montani H1679

Role of voltage-sensitive release mechanism in depression of cardiac contraction in myopathic hamsters
S. E. Howlett, W. Xiong, C. L. Mapplebeck, and G. R. Ferrier H1690

AT_1 receptor regulation in salt-sensitive hypertension
K. Strehlow, G. Nickenig, J. Roeling, S. Wassmann, O. Zolk, A. Knorr, and M. Böhm H1701

Diacylglycerol delays pH_i overshoot after reperfusion and attenuates contracture in isolated, paced myocytes
K. Ito, Y. Kagaya, T. Ishizuka, N. Ito, N. Ishide, and K. Shirato H1708

Impaired cerebral vasodilator responses to NO and PDE V inhibition after subarachnoid hemorrhage
C. G. Sobey and L. Quan H1718

Downregulation of voltage-gated K^+ channels in rat heart with right ventricular hypertrophy
J.-K. Lee, A. Nishiyama, F. Kambe, H. Seo, S. Takeuchi, K. Kamiya, I. Kodama, and J. Toyama H1725

Ca^{2+}-dependent Cl^- channels in mouse and rabbit aortic smooth muscle cells: regulation by intracellular Ca^{2+} and NO
Y. Hirakawa, M. Gericke, R. A. Cohen, and V. M. Bolotina H1732

Relation between outer and luminal diameter in cannulated arteries
G. Faury, G. M. Maher, D. Y. Li, M. T. Keating, R. P. Mecham, and W. A. Boyle H1745

Smaller infarct after preconditioning does not predict extent of early functional improvement of reperfused heart
M. V. Cohen, X.-M. Yang, and J. M. Downey H1754

Musical rhythms in heart period dynamics: a cross-cultural and interdisciplinary approach to cardiac rhythms
H. Bettermann, D. Amponsah, D. Cysarz, and P. Van Leeuwen H1762

PKC-dependent activation of p46/p54 JNKs during ischemic preconditioning in conscious rabbits
P. Ping, J. Zhang, S. Huang, X. Cao, X.-L. Tang, R. C. X. Li, Y.-T. Zheng, Y. Qiu, A. Clerk, P. Sugden, J. Han, and R. Bolli H1771

Brain "ouabain" and angiotensin II contribute to cardiac dysfunction after myocardial infarction
F. H. H. Leenen, B. Yuan, and B. S. Huang H1786

Reflex cardiovascular response to brief abdominal visceral ischemia is mediated in part by prostaglandins
P. S. Chahal, S. V. Rendig, and J. C. Longhurst H1793

Differential regulation of DNA synthesis by nitric oxide and hydroxyurea in vascular smooth muscle cells
R. Bundy, N. Marczin, A. H. Chester, and M. Yacoub H1799

Characterization of MAP kinase and PKC isoform and effect of ACE inhibition in hypertrophy in vivo
L. Kim, T. Lee, J. Fu, and M. E. Ritchie H1808

Contribution of the Na^+ channel and Na^+/H^+ exchanger to the anoxic rise of $[Na^+]$ in ventricular myocytes
B. N. Eigel and R. W. Hadley H1817

Endothelin-1 causes P-selectin-dependent leukocyte rolling and adhesion within rat mesenteric microvessels
M.-J. Sanz, B. Johnston, A. Issekutz, and P. Kubes H1823

Critical P_{O_2} of skeletal muscle in vivo
K. N. Richmond, R. D. Shonat, R. M. Lynch, and P. C. Johnson H1831

G_s and adenylyl cyclase in transverse tubules of heart: implications for cAMP-dependent signaling
M. A. Laflamme and P. L. Becker H1841

Inhaled nitric oxide inhibits NOS activity in lambs: potential mechanism for rebound pulmonary hypertension
S. M. Black, R. S. Heidersbach, D. M. McMullan, J. M. Bekker, M. J. Johengen, and J. R. Fineman H1849

Effect of tumor necrosis factor-α, IL-1β, and IL-6 on interstitial fluid pressure in rat skin
T. Nedrebø, A. Berg, and R. K. Reed H1857

Hemodynamic effects of unloading the old heart
A. Nussbacher, G. Gerstenblith, F. C. O'Connor, L. C. Becker, D. A. Kass, S. P. Schulman, J. L. Fleg, and E. G. Lakatta H1863

Autonomic control of skeletal muscle blood flow at the onset of exercise
J. B. Buckwalter and P. S. Clifford H1872

cAMP production by piglet cerebral vascular smooth muscle cells: pH_o, pH_i, and permissive action of PGI_2
C. W. Leffler, L. Balabanova, and K. K. Williams H1878

Role of endothelin-1 in age-dependent cerebrovascular hypotensive responses after brain injury
W. M. Armstead H1884

A_3 adenosine receptor activation attenuates neutrophil function and neutrophil-mediated reperfusion injury
J. E. Jordan, V. H. Thourani, J. A. Auchampach, J. A. Robinson, N.-P. Wang, and J. Vinten-Johansen H1895

Age-related left ventricular function in the mouse: analysis based on in vivo pressure-volume relationships
B. Yang, D. F. Larson, and R. Watson H1906

5-HT_4 receptors in nucleus tractus solitarii attenuate cardiopulmonary reflex in anesthetized rats
E. Edwards and J. F. R. Paton H1914

ACE inhibitors in HF restore canine pulmonary endothelial function and ANG II vasoconstriction
I. M. Straeter-Knowlen, L. J. Dell'Italia, J. Dai, G. H. Hankes, A. R. Dillon, R. E. Cartee, G. M. Pohost, and D. D. Ku H1924

Role of NO and K^+_{ATP} channels in adenosine-induced vasodilation on in vivo canine subendocardial arterioles
T. Yada, O. Hiramatsu, H. Tachibana, E. Toyota, and F. Kajiya H1931

Weibull distribution function for cardiac contraction: integrative analysis
J. Araki, H. Matsubara, J. Shimizu, T. Mikane, S. Mohri, J. Mizuno, M. Takaki, T. Ohe, M. Hirakawa, and H. Suga H1940

Limitation of arteriolar myogenic activity by local nitric oxide: segment-specific effect of dietary salt
T. R. Nurkiewicz and M. A. Boegehold H1946

Sequential gating in the human heart K^+ channel Kv1.5 incorporates Q_1 and Q_2 charge components
J. C. Hesketh and D. Fedida H1956

Echocardiographic assessment of cardiac function in conscious and anesthetized mice
X.-P. Yang, Y.-H. Liu, N.-E. Rhaleb, N. Kurihara, H. E. Kim, and O. A. Carretero H1967

Role of oxidant stress in cytokine-induced activation of NF-κB in human aortic smooth muscle cells
G. S. Hoare, N. Marczin, A. H. Chester, and M. H. Yacoub H1975

Cablin: a novel protein of the capillary basal lamina
A. J. Charron, W. Xu, R. L. Bacallao, and A. Wandinger-Ness H1985

Ischemic preconditioning attenuates apoptosis through protein kinase C in rat hearts
T. Okamura, T. Miura, H. Iwamoto, K. Shirakawa, S. Kawamura, Y. Ikeda, M. Iwatate, and M. Matsuzaki H1997

Transmural pressure induces matrix-degrading activity in porcine arteries ex vivo
N. C. Chesler, D. N. Ku, and Z. S. Galis H2002

Nitric oxide: role in venular permeability recovery after histamine challenge
H. Al-Naemi and A. L. Baldwin H2010

Oxidized low-density lipoprotein induces cytoskeletal disorganization in smooth muscle cells
H. Massaeli, C. Hurtado, J. A. Austria, and G. N. Pierce H2017

NRG-1-induced cardiomyocyte hypertrophy. Role of PI-3-kinase, $p70^{S6K}$, and MEK-MAPK-RSK
R. R. Baliga, D. R. Pimental, Y.-Y. Zhao, W. W. Simmons, M. A. Marchionni, D. B. Sawyer, and R. A. Kelly H2026

VEGF stimulates tyrosine phosphorylation of β-catenin and small-pore endothelial barrier dysfunction
A. W. Cohen, J. M. Carbajal, and R. C. Schaeffer, Jr. H2038

Mapping of capillary flow, cellular redox state, and resting membrane potential in hypoperfused rat myocardium
F. Brasch, M. Neckel, R. Volkmann, G. Schmidt, G. Hellige, and F. Vetterlein H2050

Effect of pacing site on ventricular fibrillation initiation by shocks during the vulnerable period
S. F. Idriss, P. D. Wolf, W. M. Smith, and R. E. Ideker H2065

Impaired lusitropy-frequency in the aging mouse: role of Ca^{2+}-handling proteins and effects of isoproterenol
C. C. Lim, R. Liao, N. Varma, and C. S. Apstein H2083

Chronic dipyridamole therapy produces sustained protection against cardiac ischemia-reperfusion injury
V. M. Figueredo, I. Diamond, H.-Z. Zhou, and S. A. Camacho H2091

Epoxide hydrolases regulate epoxyeicosatrienoic acid incorporation into coronary endothelial phospholipids
N. L. Weintraub, X. Fang, T. L. Kaduce, M. VanRollins, P. Chatterjee, and A. A. Spector H2098

Resistance of endothelium-dependent relaxation to elevation of O_2^- levels in rabbit carotid artery
P. J. Pagano, M. C. Griswold, S. Najibi, S. L. Marklund, and R. A. Cohen H2109

No. 6. DECEMBER 1999

Role of K^+_{ATP} channels in local metabolic coronary vasodilation
K. N. Richmond, J. D. Tune, M. W. Gorman, and E. O. Feigl H2115

Effects of methionine on endogenous antioxidants in the heart
C. K. Seneviratne, T. Li, N. Khaper, and P. K. Singal H2124

Dynamic counterbalance between direct and indirect vagal controls of atrioventricular conduction in cats
S.-L. Chen, T. Kawada, M. Inagaki, T. Shishido, H. Miyano, T. Sato, M. Sugimachi, H. Takaki, and K. Sunagawa H2129

Chronic run training suppresses α-adrenergic response of rat cardiomyocytes and isovolumic left ventricle
B. M. Palmer, M. C. Olsson, J. M. Lynch, L. C. Mace, S. M. Snyder, S. Valent, and R. L. Moore H2136

Capillary recruitment in response to tissue hypoxia and its dependence on red blood cell deformability
K. Parthasarathi and H. H. Lipowsky H2145

A hemodynamic analysis of coronary capillary blood flow based on anatomic and distensibility data
G. S. Kassab, K. N. Le, and Y.-C. B. Fung H2158

Effects of ACE inhibition and β-receptor blockade on energy metabolism in rats postmyocardial infarction
S. Hügel, M. Horn, M. De Groot, H. Remkes, C. Dienesch, K. Hu, G. Ertl, and S. Neubauer H2167

Translational mechanisms accelerate the rate of protein synthesis during canine pressure-overload hypertrophy
Y. Nagatomo, B. A. Carabello, M. Hamawaki, S. Nemoto, T. Matsuo, and P. J. McDermott H2176

Alterations in contractile properties and Ca^{2+} handling in streptozotocin-induced diabetic rat myocardium
T. Ishikawa, H. Kajiwara, and S. Kurihara H2185

Effects of modest anemia on systemic and coronary circulation of septic sheep
F. Bloos, C. M. Martin, C. G. Ellis, and W. J. Sibbald H2195

Neuregulin activation of ErbB receptors in vascular endothelium leads to angiogenesis
K. S. Russell, D. F. Stern, P. J. Polverini, and J. R. Bender H2205

Functional role of ionic regulation of Na^+/Ca^{2+} exchange assessed in transgenic mouse hearts
K. Maxwell, J. Scott, A. Omelchenko, A. Lukas, L. Lu, Y. Lu, M. Hnatowich, K. D. Philipson, and L. V. Hryshko H2212

Caveolae require intact VAMP for targeted transport in vascular endothelium
D. P. McIntosh and J. E. Schnitzer H2222

Effect of aging on gender differences in neural control of heart rate
T. B. J. Kuo, T. Lin, C. C. H. Yang, C.-L. Li, C.-F. Chen, and P. Chou H2233

Generation of superoxide in cardiomyocytes during ischemia before reperfusion
L. B. Becker, T. L. Vanden Hoek, Z.-S. Shao, C.-Q. Li, and P. T. Schumacker H2240

Human VEGF gene expression in skeletal muscle: effect of acute normoxic and hypoxic exercise
R. S. Richardson, H. Wagner, S. R. D. Mudaliar, R. Henry, E. A. Noyszewski, and P. D. Wagner H2247

Intravenous pyruvate prolongs survival during hemorrhagic shock in swine
P. D. Mongan, J. L. Fontana, R. Chen, and R. Bünger H2253

Integrin signaling, free radicals, and tyrosine kinase mediate flow constriction in isolated cerebral arteries
J. A. Madden and N. J. T. Christman H2264

Altered central nervous system processing of baroreceptor input following hindlimb unloading in rats
J. A. Moffitt, J. C. Schadt, and E. M. Hasser H2272

Modulation of endocardial natriuretic peptide receptors in right ventricular hypertrophy
S. Z. Kim, K. W. Cho, and S. H. Kim H2280

Dietary fish oil promotes positive inotropy of ouabain in the rat heart
J.-M. Maixent, A. Gerbi, O. Barbey, C. Lan, I. Jamme, H. Burnet, A. Nouvelot, S. Lévy, P. J. Cozzone, and M. Bernard H2290

PKC translocation without changes in $G\alpha_q$ and PLC-β protein abundance in cardiac hypertrophy and failure
T. Jalili, Y. Takeishi, G. Song, N. A. Ball, G. Howles, and R. A. Walsh H2298

Contribution of carotid chemoreceptors to mesenteric venoconstriction during acute hypercapnia in rabbits
M. Tominaga, T. A. Stekiel, Z. J. Bosnjak, and J. P. Kampine H2305

Factors governing mechanical stimulation in frog hearts
R. W. Fasciano II and L. Tung H2311

Modulation of myocardial function and $[Ca^{2+}]$ sensitivity by moderate hypothermia in guinea pig isolated hearts
D. F. Stowe, S. Fujita, J. An, R. A. Paulsen, S. G. Varadarajan, and S. C. Smart H2321

Functional, biochemical, and molecular investigations of renal kallikrein-kinin system in diabetic rats
C. Tschöpe, A. Reinecke, U. Seidl, M. Yu, V. Gavriluk, U. Riester, P. Gohlke, K. Graf, M. Bader, U. Hilgenfeldt, J. B. Pesquero, E. Ritz, and T. Unger H2333

Estrogen improves acetylcholine-induced but not metabolic vasodilation in biological males
G. New, S. J. Duffy, R. W. Harper, and I. T. Meredith H2341

Cardiopulmonary baroreceptor control of muscle sympathetic nerve activity in heat-stressed humans
C. G. Crandall, R. A. Etzel, and D. B. Farr H2348

Intramyocardial vascular volume distribution studied by synchrotron radiation-excited X-ray fluorescence
Y. Nakajima, N. Akizuki, Y. Kimura, H. Kohguchi, A. Tanaka, M. Chujo, N. Hattan, Y. Shinozaki, A. Iida, S. Handa, H. Nakazawa, and H. Mori H2353

Role of capillaries in determining CBF reserve: new insights using myocardial contrast echocardiography
A. R. Jayaweera, K. Wei, M. Coggins, J. P. Bin, C. Goodman, and S. Kaul H2363

Preconditioning reduces tissue complement gene expression in the rabbit isolated heart
E. J. Tanhehco, K. Yasojima, P. L. McGeer, R. A. Washington, K. S. Kilgore, J. W. Homeister, and B. R. Lucchesi H2373

Comparison of SERCA1 and SERCA2a expressed in COS-1 cells and cardiac myocytes
C. Sumbilla, M. Cavagna, L. Zhong, H. Ma, D. Lewis, I. Farrance, and G. Inesi H2381

Intravenous angiotensinogen antisense in AAV-based vector decreases hypertension
X. Tang, D. Mohuczy, Y. C. Zhang, B. Kimura, S. M. Galli, and M. I. Phillips H2392

A force transducer for measuring mechanical properties of single cardiac myocytes
C. Tasche, E. Meyhöfer, and B. Brenner H2400

SPECIAL COMMUNICATION

Novel method to estimate ventricular contractility using intraventricular pulse wave velocity
T. Shishido, M. Sugimachi, O. Kawaguchi, H. Miyano, T. Kawada, W. Matsuura, Y. Ikeda, and K. Sunagawa H2409

SPECIAL TOPIC

Prologue: ischemic preconditioning in cardiac vascular muscle
W. M. Chilian and G. J. Gross H2416

Glycolipid RC-552 induces delayed preconditioning-like effect via iNOS-dependent pathway in mice
L. Xi, F. Salloum, D. Tekin, N. C. Jarrett, and R. C. Kukreja H2418

Opening of mitochondrial K_{ATP} channel induces early and delayed cardioprotective effect: role of nitric oxide
R. Ockaili, V. R. Emani, S. Okubo, M. Brown, K. Krottapalli, and R. C. Kukreja H2425

S-T segment voltage during sequential coronary occlusions is an unreliable marker of preconditioning
M. Birincioglu, X.-M. Yang, S. D. Critz, M. V. Cohen, and J. M. Downey H2435

Met^5-enkephalin protects isolated adult rabbit cardiomyocytes via δ-opioid receptors
Y. Takasaki, R. A. Wolff, G. L. Chien, and D. M. Van Winkle H2442

Rabbit heart can be "preconditioned" via transfer of coronary effluent
E. W. Dickson, M. Lorbar, W. A. Porcaro, R. A. Fenton, C. P. Reinhardt, A. Gysembergh, and K. Przyklenk H2451

Pharmacological manipulation of Ins(1,4,5)P_3 signaling mimics preconditioning in rabbit heart
A. Gysembergh, S. Lemaire, C. Piot, C. Sportouch, S. Richard, R. A. Kloner, and K. Przyklenk H2458

Endotoxin and ischemic preconditioning: TNF-α concentration and myocardial infarct development in rabbits
S. Belosjorow, R. Schulz, H. Dörge, F. U. Schade, and G. Heusch H2470

Ischemic preconditioning prevents postischemic P-selectin expression in the rat small intestine
J. M. Davis, D. C. Gute, S. Jones, A. Krsmanovic, and R. J. Korthuis H2476

AT_1-receptor blockade enhances ischemic preconditioning in hypertrophied rat myocardium
K. L. Butler, A. H. Huang, and J. K. Gwathmey H2482

Nitroglycerin induces late preconditioning against myocardial stunning via a PKC-dependent pathway
S. Banerjee, X.-L. Tang, Y. Qiu, H. Takano, S. Manchikalapudi, B. Dawn, G. Shirk, and R. Bolli H2488

Nitric oxide donors attenuate myocardial stunning in conscious rabbits
K. Shinmura, X.-L. Tang, H. Takano, M. Hill, and R. Bolli H2495

Role of reactive oxygen species in acetylcholine-induced preconditioning in cardiomyocytes
Z. Yao, J. Tong, X. Tan, C. Li, Z. Shao, W. C. Kim, T. L. Vanden Hoek, L. B. Becker, C. A. Head, and P. T. Schumacker H2504

The Journal no longer publishes print subject and author indexes. Full searchability is available in the online version (**http://www.ajpheart.org**).

CORRIGENDA

Volume 277, July 1999
Volume 46, July 1999

Pages H290–H298: O. Eichelbrönner, A. Sielenkämper, M. D'Almeida, C. G. Ellis, W. J. Sibbald, and I. H. Chin-Yee. "Effects of FI_{O_2} on hemodynamic responses and O_2 transport during RSR13-induced reduction in P_{50}." The title of this article should read as the following.

"Effects of FI_{O_2} on hemodynamic responses and O_2 transport during RSR13-induced increase in P_{50}."

Volume 277, August 1999
Volume 46, August 1999

Pages H756–H762: A. M. Lewis, O. Mathieu-Costello, P. J. McMillan, and R. D. Gilbert. "Effects of long-term, high-altitude hypoxia on the capillarity of the ovine fetal heart." The year of publication in the abstract line was incorrectly published. It should read as the following.

Am. J. Physiol. 277 (*Heart Circ. Physiol.* 46): H756–H762, 1999.

Volume 277, September 1999
Volume 46, September 1999

Pages H940–H946: L. Protas and Richard B. Robinson. "Neuropeptide Y contributes to innervation-dependent increase in $I_{Ca,L}$ via ventricular Y_2 receptors." In the legend of Fig. 6, the identification of the two curves was reversed. The following shows the figure with the corrected legend.



Fig. 6. Effect of a Y_2 antagonist, T_4-[NPY-(33—36)]$_4$, on $I_{Ca,L}$ in innervated cardiomyocytes. Peak *I-V* relation for $I_{Ca,L}$ in innervated untreated myocytes (■) and innervated myocytes treated with T_4-[NPY-(33—36)]$_4$, 350 nM, for 3–5 days (●). For waveform configuration, see Figs. 2 or 4. Values are means ± SE.